# Properties of Logarithms 3



RaiseMyMarks.com

2020



## Properties of logarithm

Let's consider some properties of the logarithmic function,

$$y = f(x) = \log_b x \tag{1}$$

- 1. b > 0
- 2. x-intercept = 1
- 3. y-axis is a vertical asymptote
- 4. Domain=  $\{x \in \mathbb{R} | x > 0\}$
- 5. Range =  $\{y|y \in \mathbb{R}\}$
- 6. If b > 1 then the logarithmic function is increasing.
- 7. If 0 < b < 1 then the logarithm function is decreasing.

Notes, the most common base used is 10 for the logarithm function. This logarithm is writtedn as  $\log x$  rather than  $\log_{10} x$ . The value of the base b can be omitted when b = 10.

### Some basic properties of logarithms

- 1.  $\log_b 1 = 0$
- $2. \log_b b = 1$
- $3. \log_b b^x = x$
- $4. b^{\log_b x} = x$

More properties of logarithms when x > 0, w > 0 and  $r \in \mathbb{R}$  is a real number.

5.

$$\log_a(xw) = \log_a x + \log_a w$$

6.

$$\log_a\left(\frac{x}{w}\right) = \log_a x - \log_a w$$

7.

$$\log_a x^r = r \log_a x$$

Let's use some of these properties to solve logarithmic equation.



## Example

Solve  $\log_6 x = 2$ .

**Solution:**  $\log_6 x = 2 \text{ means } x = 6^2 = 36.$ 

#### Example

Solve 
$$\log_6 x + \log_6(x+1) = 1$$

#### Solution:

$$\log_6 x + \log(x+1) = 1$$
, multiplicative property  $\log_6[(x(x+1))] = 1$  equivalence to exponential  $6^1 = x(x+1)$   $0 = x^2 + x - 6$   $0 = (x+3)(x-2)$ 

Therefore, x = -3 or 2.

#### Example

Solve  $3^x = 23$ .

#### Solution:

$$3^x = 23$$
, Take log base 10 on both sides  $\log 3^x = \log 23$ , power property  $x \log 3 = \log 23$ , solve for x  $x = \frac{\log 23}{\log 3}$ 



# Exercises

- 1. Expand.
  - a)  $\log_a(xy)$

d)  $\log_m(pq)$ 

b)  $\log_b\left(\frac{x}{y}\right)$ 

e)  $\log_a\left(\frac{r}{s}\right)$ 

c)  $\log_b\left(\frac{xy}{z}\right)$ 

f)  $\log_a \left(\frac{x}{yz}\right)$ 

- 2. Simplify.
  - a)  $\log_a \sqrt[3]{x^2y^4}$

c)  $\log_a \left(\frac{x^5}{y^5}\right)^{1/4}$ 

b)  $\log_a \sqrt{\frac{x^3y^2}{w}}$