L'Hôpital's Rule Indeterminate Forms of a Limit



RaiseMyMarks.com

2021

1

Indeterminate forms of Limits

It is possible when evaluating a limit we run into some problems. For example, when we go through the steps of evaluating the limit and we end up in one of the following situations,

$$\frac{\infty}{\infty}, \ \frac{0}{0}, \ (0)(\pm\infty), \ 1^{\infty}, \ 0^0, \ \infty^0, \ \infty - \infty$$
(1)

Any of these forms in (1) is referred to as an *indeterminate form* of a limit. When faced with any of these indeterminate forms the following "rule" is performed to hopefully eliminate the indeterminate form. This rule is called **l'Hôpital's Rule** given below,

l'Hôpital's Rule

Suppose,

$$\lim_{x \to a} \frac{f(x)}{g(x)} = \frac{0}{0} \text{ or } \lim_{x \to a} \frac{f(x)}{g(x)} = \frac{\pm \infty}{\pm \infty}$$

where a is any real number ∞ or $+\infty$. Then,

$$\lim_{x \to a} \frac{f(x)}{g(x)} = \lim_{x \to a} \frac{f'(x)}{g'(x)}$$

Example

Find the following limit

lim	$\sin x$	
$x \rightarrow 0$	x	

27.12.6.1.0.

Solution:

$$\lim_{x \to 0} \frac{\sin x}{x}$$

$$= \frac{0}{0}, \text{ indeterminate form so apply l'Hôpital's rule}$$

$$= \lim_{x \to 0} \frac{\cos x}{1}$$

$$= 1$$

Example

Evaluate the following limit,

$$\lim_{x \to 0^+} x \ln x$$

Solution:

 $\lim_{x \to 0^+} x \ln x$ $= 0 \cdot \infty$

While $0 \cdot \infty$ is an indeterminate form it is not in one of the forms that is found in l'Hôpital's rule. So we need to try and rearrange the function

so that we obtain either $\frac{0}{0}$ or $\frac{\infty}{\infty}$ as the indeterminate form.



Note:

$$f(x)g(x) = \frac{g(x)}{1/f(x)} = \frac{f(x)}{1/g(x)}$$

Example

Evaluate the following limit,

$$\lim_{x \to a} \frac{x-a}{x^2 - a^2}$$

27.12.6.1.0.

©Raise My Marks 2021

4 / 7

Solution:

$$= \lim_{x \to a} \frac{x-a}{x^2 - a^2}$$
$$= \lim_{x \to a} \frac{x-a}{(x-a)(x+a)}$$
$$= \lim_{x \to a} \frac{1}{x+a}$$
$$= \frac{1}{2a}$$

27.12.6.1.0.

Exercises



27.12.6.1.0.

